


Data Sheet

PS 22 K Discs with paper backing, self-fastening for Wood, Metals



Applications

Wood	●
Metals	●
Stainless steel	⊕
Paint	⊕
Varnish	⊕
Filler	⊕
Plastic	⊕

Properties

Bonding agent	Resin
Grain	Aluminium oxide
Coating	Semi-open
Backing	E-paper

Cut down on your sanding time – the abrasive disc PS 22 K

The **abrasive disc PS 22 K** helps the user save time when treating surfaces. The abrasive truly shines when used on

- **wood** and
- **metal**.

Its self-fastening support allows for a quick tool change, reducing retooling times significantly. The disc is fitted and ready for use in seconds, while detaching it from the backing pad is just as quick and easy. These are advantages that neither hobby craftsmen nor professional users want to live without.

The abrasive disc PS 22 K – outstanding results, long service life

The **PS 22 K** is a **hook and loop abrasive disc** designed to deliver a superior level of dependability and durability. Fixed in place with a synthetic resin, a high-quality velour fabric is bonded to the **paper backing (E-paper)**. Even if subjected to high contact pressure, the velour fabric will stay securely connected to the backing pad. Safe, confident and reliable work is possible even at high process temperatures. Professionals who do not want to compromise on their work therefore rely on the sanding discs from the Klingspor range. This is why professionals who need to work without any compromises put their trust in the abrasive disc included in the product portfolio offered by Klingspor.

Universal suitability

An ideal match with handheld machines, the **abrasive disc** delivers a uniform scratch pattern every time. Premature clogging during woodwork is prevented by the semi-open coating. When used for processing metal, the product excels thanks to the exceptional grit adhesion, which is brought about by the synthetic resin bond of the grain to the backing. To ensure their **abrasive disc PS 22 K** is an excellent option for a wide variety of sanding tasks, Klingspor makes this product available in a host of grit sizes and hole patterns. The hole patterns have been paired perfectly with the extraction holes found in all standard backing pads. With the HST 555, Klingspor offers their own backing pad as the perfect companion product to the self-fastening discs **PS 22 K**. This backing pad brings out the maximum performance these abrasive tasks are capable of delivering. Topping off the product's unique properties is its suitability for universal use on all types of random orbital sanders.

Diameter /mm	Grit	Hole pattern	Type of coated abrasives	Cat.number	Availability
150	220	hole pattern GLS3	PS 22 K	100157	
125	400	hole pattern GLS5	PS 22 K	104778	
150	400	hole pattern GLS3	PS 22 K	128356	
150	400	no hole	PS 22 K	129092	
150	400	hole pattern GLS1	PS 22 K	129389	
125	400	no hole	PS 22 K	130114	
150	40	no hole	PS 22 K	20207	
125	40	no hole	PS 22 K	2294	
125	60	no hole	PS 22 K	2295	
125	100	no hole	PS 22 K	2296	
180	40	no hole	PS 22 K	2476	
180	60	no hole	PS 22 K	2477	
180	100	no hole	PS 22 K	2783	
115	40	no hole	PS 22 K	2785	
115	60	no hole	PS 22 K	2786	
150	180	no hole	PS 22 K	4022	
125	180	no hole	PS 22 K	62107	
150	40	hole pattern GLS1	PS 22 K	6520	
150	60	hole pattern GLS1	PS 22 K	6523	
150	80	hole pattern GLS1	PS 22 K	6524	
150	100	hole pattern GLS1	PS 22 K	6525	
150	120	hole pattern GLS1	PS 22 K	6526	
150	180	hole pattern GLS1	PS 22 K	6611	
150	60	no hole	PS 22 K	6649	
150	100	no hole	PS 22 K	6697	
125	80	no hole	PS 22 K	6774	
125	120	no hole	PS 22 K	6775	
180	80	no hole	PS 22 K	6914	
180	120	no hole	PS 22 K	6915	
150	80	no hole	PS 22 K	6936	
150	120	no hole	PS 22 K	6937	
150	150	no hole	PS 22 K	71140	
200	80	no hole	PS 22 K	77656	
200	100	no hole	PS 22 K	77658	
200	40	no hole	PS 22 K	77659	
200	60	no hole	PS 22 K	77660	
200	120	no hole	PS 22 K	77661	
125	150	no hole	PS 22 K	78163	

150	150	hole pattern GLS1	PS 22 K	80722
150	60	hole pattern GLS3	PS 22 K	86634
150	80	hole pattern GLS3	PS 22 K	86635
150	120	hole pattern GLS3	PS 22 K	86636
150	150	hole pattern GLS3	PS 22 K	86637
150	180	hole pattern GLS3	PS 22 K	87528
150	40	hole pattern GLS3	PS 22 K	89181
150	320	hole pattern GLS1	PS 22 K	89450
125	40	hole pattern GLS5	PS 22 K	89486
125	60	hole pattern GLS5	PS 22 K	89488
125	80	hole pattern GLS5	PS 22 K	89489
125	100	hole pattern GLS5	PS 22 K	89491
125	120	hole pattern GLS5	PS 22 K	89493
125	150	hole pattern GLS5	PS 22 K	89494
125	180	hole pattern GLS5	PS 22 K	89495
125	320	hole pattern GLS5	PS 22 K	89496
125	220	hole pattern GLS5	PS 22 K	90758
150	240	no hole	PS 22 K	91605
150	320	no hole	PS 22 K	91721
125	320	no hole	PS 22 K	93284
150	220	no hole	PS 22 K	93324
150	100	hole pattern GLS3	PS 22 K	97072
125	220	no hole	PS 22 K	97176
150	320	hole pattern GLS3	PS 22 K	97779
150	220	hole pattern GLS1	PS 22 K	98990